

# BEARING,RLR,SELF ALIGNING

1: BEARING,RLR,SELF ALIGNING,160X240X60MM

Part Number: #20297232, #23032EASM#297232

Manufacturer: WIRTH, FAG BEARING

PART NAME :BEARING,ROLLER,SELF ALIGNING

PART SIZE: ID:160 X OD:240 X WD:60 MM

EQUIPMENT NAME: DRAWWORKS

EQUIPMENT MODEL :GH-2500-EG-AC-SV

EQUIPMENT POWER RATING: 2500 HP

DRAWING NUMBER/ITEM NUMBER: A5504597/80

Additional data

REFERENCE NUMBER:23032ES

Certificate requirement

1.CERTIFICATE OF CONFORMANCE

Qty – 4 EA

2: HEATER,INDUCTION,BRG,3.6KVA,230V,50/60HZ

Part Number: #HEATER35

Manufacturer: FAG BEARING

APPLICATION INDUCTION,BEARING

TEMPERATURE RATING: 99 MIN 59SEC (+50 DEG.C TO 400DEG.C)

POWER RATING :3.6 KVA

VOLTAGE RATING :230 V

CURRENT RATING :16 A

FREQUENCY RATING :50/60 HZ

Additional data

TEMP CONTROL: 240 DEG C WITH MAGNETIC PROBE,DIGITAL DISPLAY

MIN ID DIA: 10MM

MAX OD DIA: 350MM

MAX WIDTH : 135MM

TIME CONTROL: 0 - 45 MIN

MFR:FMC/ BETEX MODEL# 24 RLD TURBO

Certificate requirement

ENERGY CONSUMPTION DATA TO BE PROVIDED (BASED ON AN INDEPENDENT TEST BY RECOGNIZED BODY)

TO DETERMINE THE ENERGY CONSUMPTION OF THE PRODUCT IN A DEFINED PERIOD OF TIME

Qty – 1 EA

**We not only supply bearing , but also sell:oil seals,washer,lubricator,bearing ball,hydraulic pump and other accessories.**

**If you have any inquiries, welcome to send us,we will quote you our favorable price promptly.**

**Hope we have honor to serve for you.**

**Have a nice day!?**



**Distributor Bearing Wholesalers Inc**

**Ada-Sales Manager Tel:(65)-3159 1338 Fax:(65) 3159 1339**

**Email: [ada@jbbearings.com](mailto:ada@jbbearings.com)**

**ADDRESS: ANSON ROAD INTERNATIONAL PLAZA SINGAPORE 079903**

**Warehouse Address?**

- 1) 1586 Tampines Industrial Avenue 5 Singapore 526818
- 2) 1262 Waterford Way, Suite 400 Miami, FL 33126 U.S.A.
- 3) 181 Dixie Road Mississauga, Ontario L8T 1P6 Canada

**We not only provide industry-leading products, but also the best support in the industry. Our sales support organization is dedicated to providing our customers and distributors with the information they need.**